



### Description:

These LED lights are waterproof and can be mounted virtually anywhere. They have a 180 degree optic to illuminate your cab, engine bay, wheel wells or anywhere else you need a bright and smooth light. The push button switch allows you to hook up power and go!

**Caution:** Dome Light can get very hot when used for extended periods of time. Please use caution when handling or installing.

### Baja Designs Features:

**Satisfactions Guarantee** – 30 Day Money Back Guarantee

**Limited Lifetime Warranty** – Complete Purchase Protection

Waterproof, Rain Proof, Submersible

**CopperDrive®** – Only LED Driven At 100%

**5000K Daylight:** Greatly reduces eye fatigue while increasing terrain recognition.



### Specifications:

**Wattage/Amps:** 5W / .4amps

**Dimensions:** 2.7 x 1.2" x .45"

**Weight:** 1.8 oz

**Ambient Temperature:** -40F (-40C) to 145.4F (63C)

**Input Voltage:** 12Vdc

**Wire Length:** 33.5" Black: Ground / Blue: White / Brown: Red

**LED Life Expectancy:** 49,930 Hours

**Front Lens:** Hard Coated Polycarbonate

**Housing:** Aircraft Grade Aluminum w/Mil-Spec Hard Anodize

**Hardware & Bracket Material:** Stainless Steel

**Exceeds MIL-STD810G (Mil-Spec Testing)**

\* Analog Board Design does not Produce High Frequency Noise

**Built-In Overvoltage Protection**



**IP69K (Waterproof up to 9ft & Pressure Washable)**

**IK10 Compliant (Mechanical Impact Testing)**

<b>Part Number</b>	<b>Description</b>	<b>L Inches</b>	<b>W Inches</b>	<b>H Inches</b>	<b>Weight Oz</b>	
39-8057	LED, Dome Light (Amber)	2.7	1.2	.45	1.8	
39-8056	LED, Dome Light (Green)	2.7	1.2	.45	1.8	
39-8055	LED, Dome Light (Blue)	2.7	1.2	.45	1.8	
39-8054	LED, Dome Light (Red)	2.7	1.2	.45	1.8	
39-8051	LED, Dome Light	2.7	1.2	.45	1.8	

### LED Rock/Dome Light Instructions

Congratulations on purchasing a Baja Designs rock/dome light. Installation can be performed two different ways.

- Utilizing the included tube mount, install the shorter M4 hardware through the rock light and overmold secure the back with the provide M4 nuts. Once the rock light has been installed you can slide the provided zip tie through the zip tie channel followed by securing the rock light and tube mount to the desired location.
- Drill and tap two M4 x 0.7 holes while utilizing the longer M4 bolts mount the rock/dome light unit to your vehicle.

The rock/dome light requires 12v power. The red wire is positive and the black wire is ground. The unit can become hot so be careful it is not mounted near anything that may melt or be damaged by the heat. If you have any questions regarding the installation please contact Stotts on 02 4966 8020

[www.baja.net.au](http://www.baja.net.au)



## LED Rock/Dome Light Instructions

Installation can be performed two different ways.

1. Utilizing the included tube mount, install the shorter M4 hardware through the rock light and overmold secure the back with the provide M4 nuts. Once the rock light has been installed you can slide the provided zip tie through the zip tie channel followed by securing the rock light and tube mount to the desired location.
2. Drill and tap two M4 x 0.7 holes while utilizing the longer M4 bolts mount the rock/dome light unit to your vehicle.

The rock/dome light requires 12v power. The red wire is positive and the black wire is ground. The unit can become hot so be careful it is not mounted near anything that may melt or be damaged by the heat. If you have any questions regarding the installation please contact Stott's on 02 4666 8020

[www.baja.net.au](http://www.baja.net.au)